

# Reference List of DSM-5 Diagnoses from ICD-10-CM for 10/1/2016

These *codes/numbers* and their *diagnoses/ labels* are selected from the *International Classification of Diseases, Tenth Edition, Clinical Modification, Classification of Mental and Behavioral Disorders* for the US. **This is a much abbreviated list including ONLY diagnoses ADDED from the DSM-5 to the ICD-10** version to be used after Oct. 1, 2016. For the complete ICD List with the ICD's diagnoses (many of which are the same in DSM-5) and codes (all of which are the same) go to [www.TheCliniciansToolbox.com](http://www.TheCliniciansToolbox.com). Only codes in **black boldface** can be used for billing and records. Common diagnoses are in **blue** for easier recognition. Interesting diagnoses are in **green**. **NOS** means Not Otherwise Specified. Where developmental disorder or an "underlying physiological condition" is known code/kist it before its mental "manifestation(s)" These are indicated by "Code first."

**E66.9** Overweight or obesity. **Code first**

## Mental disorders due to known physiological conditions (F00-F09)

MAJOR NEUROCOGNITIVE DISORDER REQUIRES SPECIFIER OF MILD, MODERATE, OR SEVERE IN DSM-5.

- F01.50** MAJOR NEUROCOGNITIVE DISORDER WITHOUT BEHAVIORAL DISTURBANCE.
- F01.51** MAJOR NEUROCOGNITIVE DISORDER WITH BEHAVIORAL DISTURBANCE.  
MAJOR NEUROCOGNITIVE DISORDER WITH COMBATIVE, VIOLENT, OR AGGRESSIVE BEHAVIOR.  
MAJOR NEUROCOGNITIVE DISORDER DUE TO VASCULAR DISEASE, WITH BEHAVIORAL DISTURBANCE.
- F02** **Dementia in other diseases classified elsewhere**
- F02.80** MAJOR NEUROCOGNITIVE DISORDER IN OTHER DISEASES CLASSIFIED ELSEWHERE. **Code first**
- F02.81** MAJOR NEUROCOGNITIVE DISORDER IN OTHER DISEASES CLASSIFIED ELSEWHERE WITH AGGRESSIVE BEHAVIOR OR WITH COMBATIVE BEHAVIOR OR WITH VIOLENT BEHAVIOR. **Code first**
- F06.0** **Psychotic disorder with hallucinations due to known physiological condition**
- F06.1** CATATONIA ASSOCIATED WITH ANOTHER MENTAL DISORDER. CATATONIA NOS
- F06.2** PARANOID AND PARANOID-HALLUCINATORY ORGANIC STATES. SCHIZOPHRENIA-LIKE PSYCHOSIS IN EPILEPSY.
- F07.81** POST-TRAUMATIC BRAIN SYNDROME, NON-PSYCHOTIC.
- F09** **Unspecified mental disorder due to known physiological condition**  
MENTAL DISORDER NOS DUE TO KNOWN PHYSIOLOGICAL CONDITION.  
ORGANIC BRAIN SYNDROME NOS.  
ORGANIC MENTAL DISORDER NOS.  
ORGANIC psychosis NOS  
SYMPTOMATIC PSYCHOSIS NOS. **Code first**

## Mental and behavioral disorders due to psychoactive substance use (F10-F19)

### F10 Alcohol related disorders

**F10.10** ALCOHOL USE DISORDER, MILD

- F10.14** ALCOHOL USE DISORDER, MILD, WITH ALCOHOL-INDUCED BIPOLAR OR RELATED DISORDER  
ALCOHOL USE DISORDER, MILD, WITH ALCOHOL-INDUCED DEPRESSIVE DISORDER
- F10.20.** ALCOHOL USE DISORDER, MODERATE.  
ALCOHOL USE DISORDER, SEVERE
- F10.24** ALCOHOL USE DISORDER, MODERATE, WITH ALCOHOL-INDUCED BIPOLAR OR RELATED DISORDER.  
ALCOHOL USE DISORDER, MODERATE, WITH ALCOHOL-INDUCED DEPRESSIVE DISORDER.  
ALCOHOL USE DISORDER, SEVERE, WITH ALCOHOL-INDUCED BIPOLAR OR RELATED DISORDER.  
ALCOHOL USE DISORDER, SEVERE, WITH ALCOHOL-INDUCED DEPRESSIVE DISORDER
- F10.26** ALCOHOL USE DISORDER, MODERATE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC-CONFABULATORY TYPE.  
ALCOHOL USE DISORDER, SEVERE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC- CONFABULATORY TYPE
- F10.27** ALCOHOL USE DISORDER, MODERATE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NONAMNESTIC-CONFABULATORY TYPE.  
ALCOHOL USE DISORDER, SEVERE, WITH ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NON AMNESTIC-CONFABULATORY TYPE
- F10.288** ALCOHOL USE DISORDER, MODERATE, WITH ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER.  
ALCOHOL USE DISORDER, SEVERE, WITH ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER
- F10.94** ALCOHOL-INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
ALCOHOL-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F10.959** ALCOHOL-INDUCED PSYCHOTIC DISORDER WITHOUT USE DISORDER
- F10.96** ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, AMNESTIC-CONFABULATORY TYPE, WITHOUT USE DISORDER
- F10.97** ALCOHOL-INDUCED MAJOR NEUROCOGNITIVE DISORDER, NONAMNESTIC-CONFABULATORY TYPE, WITHOUT USE DISORDER
- F10.980** ALCOHOL-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F10.981** ALCOHOL-INDUCED SEXUAL DYSFUNCTION, WITHOUT USE DISORDER
- F10.982** ALCOHOL-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER
- F10.988** ALCOHOL-INDUCED MILD NEUROCOGNITIVE DISORDER, WITHOUT USE DISORDER
- F11** **Opioid related disorders**
- F11.10** OPIOID USE DISORDER, MILD
- F11.14** OPIOID USE DISORDER, MILD, WITH OPIOID-INDUCED DEPRESSIVE DISORDER
- F11.20** OPIOID USE DISORDER, MODERATE. OPIOID USE DISORDER, SEVERE
- F11.24** OPIOID USE DISORDER, MODERATE, WITH OPIOID-INDUCED DEPRESSIVE DISORDER
- F11.921** OPIOID-INDUCED DELIRIUM
- F11.94** OPIOID-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F11.981** OPIOID-INDUCED SEXUAL DYSFUNCTION, WITHOUT USE DISORDER
- F11.982** OPIOID-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER
- F11.988** OPIOID-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER

### F12 Cannabis related disorders

- F12.10** CANNABIS USE DISORDER, MILD
- F12.20** CANNABIS USE DISORDER, MODERATE.  
CANNABIS USE DISORDER, SEVERE
- F12.288** CANNABIS USE DISORDER, MODERATE, WITH CANNABIS-INDUCED SLEEP DISORDER.  
CANNABIS USE DISORDER, SEVERE, WITH CANNABIS-INDUCED SLEEP DISORDER.  
CANNABIS WITHDRAWAL
- F12.959** CANNABIS INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER
- F12.980** CANNABIS-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F12.988** CANNABIS-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER

### F13 Sedative, hypnotic, or anxiolytic (S,h,a) related disorders

Do not use just "S,h,a" when writing the diagnosis

- F13.10** S, H, A USE DISORDER, MILD
- F13.14** S, H, A USE DISORDER, MILD, WITH S, H, A-INDUCED BIPOLAR OR RELATED DISORDER.  
S, H, A USE DISORDER, MILD, WITH S, H, A-INDUCED DEPRESSIVE DISORDER
- F13.23** S, H, A USE DISORDER, MODERATE. S, H, A USE DISORDER, SEVERE
- F13.232** S, H, A WITHDRAWAL WITH PERCEPTUAL DISTURBANCES
- F13.239** S, H, A WITHDRAWAL WITHOUT PERCEPTUAL DISTURBANCES
- F13.24** S, H, A USE DISORDER, MODERATE, WITH S, H, A-INDUCED BIPOLAR OR RELATED DISORDER.  
S, H, A USE DISORDER, MODERATE, WITH S, H, A-INDUCED DEPRESSIVE DISORDER.  
S, H, A USE DISORDER, SEVERE, WITH S, H, A-INDUCED BIPOLAR OR RELATED DISORDER.  
S, H, A USE DISORDER, SEVERE, WITH S, H, A-INDUCED DEPRESSIVE DISORDER
- F13.27** S, H, A USE DISORDER, MODERATE, WITH S, H, A-INDUCED MAJOR NEUROCOGNITIVE DISORDER.  
S, H, A USE DISORDER, SEVERE, WITH S, H, A-INDUCED MAJOR NEUROCOGNITIVE DISORDER
- F13.288** S, H, A USE DISORDER, MODERATE, WITH S, H, A-INDUCED MILD NEUROCOGNITIVE DISORDER  
S, H, A USE DISORDER, SEVERE, WITH S, H, A-INDUCED MILD NEUROCOGNITIVE DISORDER
- F13.921** S, H, A-INDUCED DELIRIUM
- F13.94** S, H, A-INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
S, H, A-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F13.959** S, H, A- INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER
- F13.97** S, H, A-INDUCED MAJOR NEUROCOGNITIVE DISORDER, WITHOUT USE DISORDER
- F13.980** S, H, A-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F13.981** S, H, A-INDUCED SEXUAL DYSFUNCTION DISORDER, WITHOUT USE DISORDER
- F13.982** S, H, A-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER
- F13.988** S, H, A-INDUCED MILD NEUROCOGNITIVE DISORDER.
- F14** **Cocaine related disorders**
- F14.10** COCAINE USE DISORDER, MILD
- F14.14** COCAINE USE DISORDER, MILD, WITH COCAINE-INDUCED BIPOLAR OR RELATED DISORDER.  
COCAINE USE DISORDER, MILD, WITH COCAINE-INDUCED DEPRESSIVE DISORDER
- F14.188** COCAINE USE DISORDER, MILD, WITH COCAINE-INDUCED OBSESSIVE- COMPULSIVE OR RELATED DISORDER

# Reference List of DSM-5 Diagnoses from ICD-10-CM for 10/1/2016

- F14.20** COCAINE USE DISORDER, MODERATE.  
COCAINE USE DISORDER, SEVERE
- F14.24** COCAINE USE DISORDER, MODERATE, WITH COCAINE-INDUCED BIPOLAR OR RELATED DISORDER.  
COCAINE USE DISORDER, MODERATE, WITH COCAINE-INDUCED DEPRESSIVE DISORDER.  
COCAINE USE DISORDER, SEVERE, WITH COCAINE-INDUCED BIPOLAR OR RELATED DISORDER.  
COCAINE USE DISORDER, SEVERE, WITH COCAINE-INDUCED DEPRESSIVE DISORDER
- F14.288** COCAINE USE DISORDER, MODERATE, WITH COCAINE-INDUCED OBSESSIVE COMPULSIVE OR RELATED DISORDER.  
COCAINE USE DISORDER, SEVERE, WITH COCAINE-INDUCED OBSESSIVE COMPULSIVE OR RELATED DISORDER
- F14.94** COCAINE INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
COCAINE INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F14.959** COCAINE INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER
- F14.980** COCAINE INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F14.981** COCAINE INDUCED SEXUAL DYSFUNCTION, WITHOUT USE DISORDER
- F14.982** COCAINE INDUCED SLEEP DISORDER, WITHOUT USE DISORDER
- F14.988** COCAINE INDUCED OBSESSIVE COMPULSIVE OR RELATED DISORDER
- F15 Other stimulant (Os) related disorders**  
*Do not use just "Os" or "aooS" when writing the diagnoses.*
- F15.10** AMPHETAMINE TYPE SUBSTANCE USE DISORDER, MILD.  
OTHER OR UNSPECIFIED STIMULANT USE DISORDER, MILD
- F15.12** OTHER STIMULANT ABUSE WITH INTOXICATION
- F15.122** AMPHETAMINE OR OTHER STIMULANT (AooS) USE DISORDER MILD, WITH AOO S INTOXICATION, WITH PERCEPTUAL DISTURBANCES
- F15.129** AOO S USE DISORDER, MILD, WITH AOO S INTOXICATION, WITHOUT PERCEPTUAL DISTURBANCES
- F15.14** AOO S USE DISORDER, MILD, WITH AOO S-INDUCED BIPOLAR OR RELATED DISORDER.  
AooS USE DISORDER, MILD, WITH AOO S-INDUCED DEPRESSIVE DISORDER
- F15.188** AOO S USE DISORDER, MILD, WITH AOO S-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER
- F15.20** AMPHETAMINE TYPE SUBSTANCE USE DISORDER, MODERATE.  
AMPHETAMINE TYPE SUBSTANCE USE DISORDER, SEVERE.  
OTHER OR UNSPECIFIED STIMULANT USE DISORDER, MODERATE.  
OTHER OR UNSPECIFIED STIMULANT USE DISORDER, SEVERE
- F15.222** AOO S USE DISORDER, MODERATE, WITH AOO S INTOXICATION, WITH PERCEPTUAL DISTURBANCES.  
AooS USE DISORDER, SEVERE, WITH AOO S INTOXICATION, WITH PERCEPTUAL DISTURBANCES
- F15.229** AOO S USE DISORDER, MODERATE, WITH AOO S INTOXICATION, WITHOUT PERCEPTUAL DISTURBANCES.  
AooS USE DISORDER, SEVERE, WITH AOO S INTOXICATION, WITHOUT PERCEPTUAL DISTURBANCES
- F15.23** AOO S WITHDRAWAL
- F15.24** AOO S USE DISORDER, MODERATE, WITH AOO S-INDUCED BIPOLAR OR RELATED DISORDER.  
AooS USE DISORDER, MODERATE, WITH AOO S-INDUCED DEPRESSIVE DISORDER.  
AooS USE DISORDER, SEVERE, WITH AOO S-INDUCED BIPOLAR OR RELATED DISORDER.  
AooS USE DISORDER, SEVERE, WITH AOO S-INDUCED DEPRESSIVE DISORDER
- F15.288** AOO S USE DISORDER, MODERATE, WITH AOO S-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER.  
AooS USE DISORDER, SEVERE, WITH AOO S-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER
- F15.929** CAFFEINE INTOXICATION
- F15.93** CAFFEINE WITHDRAWAL
- F15.94** AOO S-INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
AooS-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F15.959** AOO S-INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER
- F15.980** AOO S-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER.  
CAFFEINE-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F15.981** AOO S-INDUCED SEXUAL DYSFUNCTION, WITHOUT USE DISORDER
- F15.982** AOO S-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER. CAFFEINE-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER
- F15.988** AOO S-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER, WITHOUT USE DISORDER
- F16 Hallucinogen related disorders**  
*Includes: ecstasy, PCP, phencyclidine*
- F16.10** OTHER HALLUCINOGEN USE DISORDER, MILD.  
PHENCYCLIDINE USE DISORDER, MILD
- F16.14** OTHER HALLUCINOGEN USE DISORDER, MILD, WITH OTHER HALLUCINOGEN-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER HALLUCINOGEN USE DISORDER, MILD, WITH OTHER HALLUCINOGEN-INDUCED DEPRESSIVE DISORDER.  
PHENCYCLIDINE USE DISORDER, MILD, WITH PHENCYCLIDINE-INDUCED BIPOLAR OR RELATED DISORDER.  
PHENCYCLIDINE USE DISORDER, MILD, WITH PHENCYCLIDINE-INDUCED DEPRESSIVE DISORDER
- F16.20** OTHER HALLUCINOGEN USE DISORDER, MODERATE.  
OTHER HALLUCINOGEN USE DISORDER, SEVERE.  
PHENCYCLIDINE USE DISORDER, MODERATE.  
PHENCYCLIDINE USE DISORDER, SEVERE
- F16.24** OTHER HALLUCINOGEN USE DISORDER, MODERATE, WITH OTHER HALLUCINOGEN-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER HALLUCINOGEN USE DISORDER, MODERATE, WITH OTHER HALLUCINOGEN-INDUCED DEPRESSIVE DISORDER.  
OTHER HALLUCINOGEN USE DISORDER, SEVERE, WITH OTHER HALLUCINOGEN-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER HALLUCINOGEN USE DISORDER, SEVERE, WITH OTHER HALLUCINOGEN-INDUCED DEPRESSIVE DISORDER.  
OTHER HALLUCINOGEN USE DISORDER, SEVERE, WITH OTHER HALLUCINOGEN-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER HALLUCINOGEN USE DISORDER, SEVERE, WITH OTHER HALLUCINOGEN-INDUCED DEPRESSIVE DISORDER.  
PHENCYCLIDINE USE DISORDER, MODERATE, WITH PHENCYCLIDINE-INDUCED BIPOLAR OR RELATED DISORDER.  
PHENCYCLIDINE USE DISORDER, MODERATE, WITH PHENCYCLIDINE-INDUCED DEPRESSIVE DISORDER.  
PHENCYCLIDINE USE DISORDER, SEVERE, WITH PHENCYCLIDINE-INDUCED BIPOLAR OR RELATED DISORDER.
- F16.921** PHENCYCLIDINE USE DISORDER, SEVERE, WITH PHENCYCLIDINE-INDUCED DEPRESSIVE DISORDER
- F16.94** OTHER HALLUCINOGEN INTOXICATION DELIRIUM  
OTHER HALLUCINOGEN INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
OTHER HALLUCINOGEN-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER.  
PHENCYCLIDINE-INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
PHENCYCLIDINE-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F16.959** OTHER HALLUCINOGEN-INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER.  
PHENCYCLIDINE-INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER
- F16.980** OTHER HALLUCINOGEN-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER.  
PHENCYCLIDINE-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F17 Nicotine dependence**  
*Excludes: History of tobacco dependence (Z87.891), Tobacco use NOS (Z72.0), Tobacco use (smoking) during pregnancy, childbirth and the puerperium (099.33-), and Toxic effect of nicotine (T65.2-)*
- F17.200** TOBACCO USE DISORDER, MILD.  
TOBACCO USE DISORDER, MODERATE.  
TOBACCO USE DISORDER, SEVERE
- F18 Inhalant related disorders**
- F18.10** INHALANT USE DISORDER, MILD
- F18.14** INHALANT USE DISORDER, MILD, WITH INHALANT-INDUCED DEPRESSIVE DISORDER
- F18.17** INHALANT USE DISORDER, MILD, WITH INHALANT-INDUCED MAJOR NEUROCOGNITIVE DISORDER
- F18.188** INHALANT USE DISORDER, MILD, WITH INHALANT-INDUCED MILD NEUROCOGNITIVE DISORDER
- F18.20** INHALANT USE DISORDER, MODERATE.  
INHALANT USE DISORDER, SEVERE
- F18.24** INHALANT USE DISORDER, MODERATE, WITH INHALANT INDUCED DEPRESSIVE DISORDER.  
INHALANT USE DISORDER, SEVERE, WITH INHALANT INDUCED DEPRESSIVE DISORDER
- F18.27** INHALANT USE DISORDER, MODERATE, WITH INHALANT-INDUCED MAJOR NEUROCOGNITIVE DISORDER.  
INHALANT USE DISORDER, SEVERE, WITH INHALANT-INDUCED MAJOR NEUROCOGNITIVE DISORDER
- F18.288** INHALANT USE DISORDER, MODERATE, WITH INHALANT-INDUCED MILD NEUROCOGNITIVE DISORDER.  
INHALANT USE DISORDER, SEVERE, WITH INHALANT-INDUCED MILD NEUROCOGNITIVE DISORDER
- F18.94** INHALANT-INDUCED DEPRESSIVE DISORDER
- F18.97** INHALANT-INDUCED MAJOR NEUROCOGNITIVE DISORDER
- F18.988** INHALANT-INDUCED MILD NEUROCOGNITIVE DISORDER

# Reference List of DSM-5 Diagnoses from ICD-10-CM for 10/1/2016

## F19 Other psychoactive substance (Ops) related disorders

Do not use just "Ops" when applying the diagnosis Includes: polysubstance drug use (indiscriminate drug use). Excludes 19.2~ and 19.9~.

- F19.10** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MILD
- F19.14** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MILD, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MILD, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED DEPRESSIVE DISORDER
- F19.17** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MILD, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MAJOR NEUROCOGNITIVE DISORDER
- F19.188** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MILD, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MILD NEUROCOGNITIVE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MILD, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER
- F19.20** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MODERATE  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, SEVERE
- F19.24** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MODERATE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MODERATE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED DEPRESSIVE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, SEVERE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED BIPOLAR OR RELATED DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, SEVERE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED DEPRESSIVE DISORDER
- F19.27** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MODERATE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MAJOR NEUROCOGNITIVE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, SEVERE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MAJOR NEUROCOGNITIVE DISORDER
- F19.288** OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MODERATE WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MILD NEUROCOGNITIVE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, SEVERE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MILD NEUROCOGNITIVE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, MODERATE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED OBSESSIVE COMPULSIVE OR RELATED DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE USE DISORDER, SEVERE, WITH OTHER (OR UNKNOWN) SUBSTANCE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER
- F19.921** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED DELIRIUM
- F19.94** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED BIPOLAR OR RELATED DISORDER, WITHOUT USE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE-INDUCED DEPRESSIVE DISORDER, WITHOUT USE DISORDER
- F19.959** OTHER OR UNKNOWN SUBSTANCE-INDUCED PSYCHOTIC DISORDER, WITHOUT USE DISORDER

- F19.97** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MAJOR NEUROCOGNITIVE DISORDER, WITHOUT USE DISORDER
- F19.980** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED ANXIETY DISORDER, WITHOUT USE DISORDER
- F19.981** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED SEXUAL DYSFUNCTION, WITHOUT USE DISORDER
- F19.982** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED SLEEP DISORDER, WITHOUT USE DISORDER
- F19.988** OTHER (OR UNKNOWN) SUBSTANCE-INDUCED MILD NEUROCOGNITIVE DISORDER, WITHOUT USE DISORDER.  
OTHER (OR UNKNOWN) SUBSTANCE-INDUCED OBSESSIVE-COMPULSIVE OR RELATED DISORDER, WITHOUT USE DISORDER

## Mood [affective] disorders (F30-F39)

- F31.71** BIPOLAR I DISORDER, CURRENT OR MOST RECENT EPISODE HYPOMANIC, IN PARTIAL REMISSION
- F31.72** BIPOLAR I DISORDER, CURRENT OR MOST RECENT EPISODE HYPOMANIC, IN FULL REMISSION
- F31.73** BIPOLAR I DISORDER, CURRENT OR MOST RECENT EPISODE MANIC, IN PARTIAL REMISSION
- F31.74** BIPOLAR I DISORDER, CURRENT OR MOST RECENT EPISODE MANIC, IN FULL REMISSION

## F32 Major depressive disorder, single episode

- F32.81** PREMENSTRUAL DYSPHORIC DISORDER
- F32.89** OTHER SPECIFIED DEPRESSIVE EPISODES

## F34 Persistent mood [affective] disorders

- F34.1** PERSISTENT DEPRESSIVE DISORDER
- F34.81** DISRUPTIVE MOOD DYSREGULATION DISORDER

## F42 Obsessive-compulsive disorder

- F42.2** MIXED OBSESSIONAL THOUGHTS AND ACTIONS
- F42.3** HOARDING DISORDER
- F42.4** EXCORIATION (SKIN-PICKING) DISORDER

## F43 Reaction to severe stress, and adjustment disorders

- F43.9** Reaction to severe stress, unspecified.  
TRAUMA AND STRESSOR-RELATED DISORDER, NOS

## F44 Dissociative and conversion disorders

- F44.1** DISSOCIATIVE AMNESIA WITH DISSOCIATIVE FUGUE.

## F45 Somatoform disorders

- F45.1** SOMATIC SYMPTOM DISORDER
- F45.21** ILLNESS ANXIETY DISORDER

## Behavioral syndromes associated with physiological disturbances and physical factors (F50-F59)

### F50 Eating disorders

- F50.81** BINGE EATING DISORDER
- F50.89.** AVOIDANT/RESTRICTIVE FOOD INTAKE DISORDER  
OTHER SPECIFIED FEEDING OR EATING DISORDER

### F51 Sleep disorders not due to a substance or known physiological condition

- F51.11** HYPERSOMNOLENCE DISORDER

## F52 Sexual dysfunction not due to a substance or known physiological condition

- F52.32** DELAYED EJACULATION
- F52.6** GENITO-PELVIC PAIN PENETRATION DISORDER

## F63 Habit and impulse disorders

- F63.2** Kleptomania. Pathological stealing
- F63.3** Trichotillomania (Hair-Pulling Disorder)

## F64 Gender identity disorders

- F64.0** GENDER DYSPHORIA IN ADOLESCENTS AND ADULTS
- F64.2** GENDER DYSPHORIA IN CHILDREN

## Pervasive and specific developmental disorders(F80-F89)

### F80 Specific developmental disorders of speech and language

- F80.0** SPEECH-SOUND DISORDER
- F80.82** SOCIAL PRAGMATIC COMMUNICATION DISORDER

### F88 Other disorders of psychological development

- GLOBAL DEVELOPMENTAL DELAY. OTHER SPECIFIED NEURODEVELOPMENTAL DISORDER

### F89 Unspecified disorder of psychological development

- NEURODEVELOPMENTAL DISORDER NOS

## Behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)

Codes can be used regardless of the patient's age.

### F91 Conduct disorders

- F91.2** CONDUCT DISORDER, ADOLESCENT-ONSET TYPE.
- F91.8** OTHER SPECIFIED CONDUCT DISORDER.  
OTHER SPECIFIED DISRUPTIVE DISORDER
- F91.9** DISRUPTIVE DISORDER NOS

### F94 Disorders of social functioning with onset specific to childhood and adolescence

- F94.0** SELECTIVE MUTISM.

### F95 Tic disorder

- F95.0** PROVISIONAL TIC DISORDER

NOTE: NO NEW DSM-5 DIAGNOSES OR OTHER DIAGNOSES WERE ADDED TO ANY OF THE OTHER F-CODES. OR G, N, T, OR Z CODES AT THIS TIME. THEY CAN BE ADDED YEARLY BUT ONLY SEVERAL HAVE EVER BEEN ADDED IN THE LAST 10 YEARS.